



Stratos Peptides
2734 Beaver Run Blvd, Suite B#450, Surfside
Beach, SC 29575
support@stratospeptides.com
http://stratospeptides.com

SAMPLE NAME: Epitalon
SAMPLE CODE: 8E3D-DJJ5
RECEIVED DATE: 09/08/2026
PUBLISHED DATE: 09/14/2026



DECLARED IDENTITY: Epitalon
MATRIX TYPE: PEPTIDE
SAMPLE NAME: Epitalon
SAMPLE SIZE: 50.0 mg
LOT CODE: EPI50R090226MYR




53.201 mg
Total Quantity



99.865%
Total Blend Purity

Sample	Test	Specification	Result	Status
Epitalon	IDENTITY	Epitalon	Epitalon	CONFORMS
Epitalon	QUANTITY	MEASURE	53.201 mg	MEASURED
Epitalon	PURITY	> 98.0%	99.865%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
09/14/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
09/14/2026

ACCUMARKLABS.COM
8E3D-DJJ5
09/14/2026





Stratos Peptides
 2734 Beaver Run Blvd, Suite B#450, Surfside
 Beach, SC 29575
support@stratospeptides.com
<http://stratospeptides.com>

SAMPLE NAME: Epitalon
 SAMPLE CODE: 8E3D-DJJ5
 RECEIVED DATE: 09/08/2026
 PUBLISHED DATE: 09/14/2026

Endotoxin USP85 LAL

Test	Specification (EU/mL)	Result (EU/mL)	Verdict
Endotoxin USP85 LAL	≤ 5	2.50	Conforms

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.

Rapid Sterility Screening (PCR)

Test	Specification	Result	Unit	Verdict
Rapid Sterility Screening (PCR)	Not Detected	Not Detected		Conforms

Method: Rapid sterility screening performed by real-time polymerase chain reaction (qPCR) targeting conserved microbial DNA sequences under validated laboratory conditions.

RESULTS CERTIFIED BY:


 Anthony Burke PhD
 Lab Manager
 09/14/2026

RESULTS CERTIFIED BY:


 Dr. Levi Fried MD
 Lab Director
 09/14/2026

ACCUMARKLABS.COM
 8E3D-DJJ5
 09/14/2026

