



Stratos Peptides
2734 Beaver Run Blvd, Suite B#450, Surfside
Beach, SC 29575
support@stratospeptides.com
http://stratospeptides.com

SAMPLE NAME: Selank
SAMPLE CODE: NAYE-SNU3
RECEIVED DATE: 08/13/2026
PUBLISHED DATE: 08/18/2026



DECLARED IDENTITY: Selank
MATRIX TYPE: PEPTIDE
SAMPLE NAME: Selank
SAMPLE SIZE: 5.0 mg
LOT CODE: SEL5R080726MYR




5.2 mg
Total Quantity



99.561%
Total Blend Purity

Sample	Test	Specification	Result	Status
Selank	IDENTITY	Selank	Selank	CONFORMS
Selank	QUANTITY	MEASURE	5.2 mg	MEASURED
Selank	PURITY	> 98.0%	99.561%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
08/18/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
08/18/2026

ACCUMARKLABS.COM
NAYE-SNU3
08/18/2026





Stratos Peptides
2734 Beaver Run Blvd, Suite B#450, Surfside
Beach, SC 29575
support@stratospeptides.com
http://stratospeptides.com

SAMPLE NAME: Selank
SAMPLE CODE: NAYE-SNU3
RECEIVED DATE: 08/13/2026
PUBLISHED DATE: 08/18/2026

Sample	Test	Specification	Result	Status
Selank	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
Selank	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:


Anthony Burke PhD
Lab Manager
08/18/2026


Dr. Levi Fried MD
Lab Director
08/18/2026

ACCUMARKLABS.COM
NAYE-SNU3
08/18/2026

