



Stratos Peptides
 2734 Beaver Run Blvd, Suite B#450, Surfside
 Beach, SC 29575
 support@stratospeptides.com
 http://stratospeptides.com

SAMPLE NAME:
 SAMPLE CODE:
 RECEIVED DATE:
 PUBLISHED DATE:

NAD+
 CLRB-KEZW
 08/03/2026
 08/06/2026



DECLARED IDENTITY: NAD+
 MATRIX TYPE: PEPTIDE
 SAMPLE NAME: NAD+
 SAMPLE SIZE: 1000.0 mg
 LOT CODE: SNAD1000R072426MYR




1010.31 mg
 Total Quantity



99.983%
 Total Blend Purity

Sample	Test	Specification	Result	Status
NAD+	IDENTITY	NAD+	NAD+	CONFORMS
NAD+	QUANTITY	MEASURE	1010.31 mg	MEASURED
NAD+	PURITY	> 98.0%	99.983%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
 Lab Manager
 08/06/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
 Lab Director
 08/06/2026

ACCUMARKLABS.COM
 CLRB-KEZW
 08/06/2026





Stratos Peptides
 2734 Beaver Run Blvd, Suite B#450, Surfside
 Beach, SC 29575
support@stratospeptides.com
<http://stratospeptides.com>

SAMPLE NAME: NAD+
 SAMPLE CODE: CLRB-KEZW
 RECEIVED DATE: 08/03/2026
 PUBLISHED DATE: 08/06/2026

Sample	Test	Specification	Result	Status
NAD+	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
NAD+	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

Anthony Burke
 Anthony Burke PhD
 Lab Manager
 08/06/2026

RESULTS CERTIFIED BY:

Levi Fried
 Dr. Levi Fried MD
 Lab Director
 08/06/2026

ACCUMARKLABS.COM
 CLRB-KEZW
 08/06/2026

