



Stratos Peptides
 2734 Beaver Run Blvd, Suite B#450, Surfside
 Beach, SC 29575
 support@stratospeptides.com
 http://stratospeptides.com

SAMPLE NAME: MTP 131
 SAMPLE CODE: ZSR6-J4NM
 RECEIVED DATE: 07/27/2026
 PUBLISHED DATE: 07/30/2026



DECLARED IDENTITY: MTP 131
 MATRIX TYPE: PEPTIDE
 SAMPLE NAME: MTP 131
 SAMPLE SIZE: 10.0 mg
 LOT CODE: SS3110R072226MYR




14.43 mg
 Total Quantity



99.798%
 Total Blend Purity

Sample	Test	Specification	Result	Status
MTP 131	IDENTITY	MTP 131	MTP 131	CONFORMS
MTP 131	QUANTITY	MEASURE	14.43 mg	MEASURED
MTP 131	PURITY	> 98.0%	99.798%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
 Lab Manager
 07/30/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
 Lab Director
 07/30/2026

ACCUMARKLABS.COM
 ZSR6-J4NM
 07/30/2026





Stratos Peptides
 2734 Beaver Run Blvd, Suite B#450, Surfside
 Beach, SC 29575
support@stratospeptides.com
<http://stratospeptides.com>

SAMPLE NAME: MTP 131
 SAMPLE CODE: ZSR6-J4NM
 RECEIVED DATE: 07/27/2026
 PUBLISHED DATE: 07/30/2026

Sample	Test	Specification	Result	Status
MTP 131	Endotoxin (LAL)	≤ 5.0 EU/mL	Pass	CONFORMS
MTP 131	Rapid Sterility Screening (PCR)	Not Detected	Pass	CONFORMS

RESULTS CERTIFIED BY:

RESULTS CERTIFIED BY:

Anthony Burke
 Anthony Burke PhD
 Lab Manager
 07/30/2026

Levi Fried
 Dr. Levi Fried MD
 Lab Director
 07/30/2026

ACCUMARKLABS.COM
 ZSR6-J4NM
 07/30/2026

