




Stratos Peptides
2734 Beaver Run Blvd, Suite B#450, Surfside
Beach, SC 29575
support@stratospeptides.com
http://stratospeptides.com

SAMPLE NAME: Thymosin Alpha-1
SAMPLE CODE: 4HG6-TA44
RECEIVED DATE: 09/15/2026
PUBLISHED DATE: 09/21/2026



DECLARED IDENTITY: Thymosin Alpha-1
MATRIX TYPE: PEPTIDE
SAMPLE NAME: Thymosin Alpha-1
SAMPLE SIZE: 20.0 mg
LOT CODE: TA120R090826MYR




20.874 mg
Total Quantity



99.565%
Total Blend Purity

Sample	Test	Specification	Result	Status
Thymosin Alpha-1	IDENTITY	Thymosin Alpha-1	Thymosin Alpha-1	CONFORMS
Thymosin Alpha-1	QUANTITY	MEASURE	20.874 mg	MEASURED
Thymosin Alpha-1	PURITY	> 98.0%	99.565%	CONFORMS

HPLC Chromatogram Report



RESULTS REVIEWED BY:

Anthony Burke PhD
Lab Manager
09/21/2026

RESULTS CERTIFIED BY:

Dr. Levi Fried MD
Lab Director
09/21/2026

ACCUMARKLABS.COM
4HG6-TA44
09/21/2026





Stratos Peptides
 2734 Beaver Run Blvd, Suite B#450, Surfside
 Beach, SC 29575
support@stratospeptides.com
<http://stratospeptides.com>

SAMPLE NAME: Thymosin Alpha-1
 SAMPLE CODE: 4HG6-TA44
 RECEIVED DATE: 09/15/2026
 PUBLISHED DATE: 09/21/2026

Endotoxin USP85 LAL

Test	Specification (EU/mL)	Result (EU/mL)	LOQ (EU/mL)	Verdict
Endotoxin USP85 LAL	≤5	< LOQ	2.5	Conforms

Method: Endotoxin testing performed using Limulus Amebocyte Lysate assay in accordance with USP <85> under validated laboratory conditions.

Rapid Sterility Screening (PCR)

Test	Specification	Result	Unit	Verdict
Rapid Sterility Screening (PCR)	Not Detected	Not Detected		Conforms

Method: Rapid sterility screening performed by real-time polymerase chain reaction (qPCR) targeting conserved microbial DNA sequences under validated laboratory conditions.

RESULTS CERTIFIED BY:


 Anthony Burke PhD
 Lab Manager
 09/21/2026

RESULTS CERTIFIED BY:


 Dr. Levi Fried MD
 Lab Director
 09/21/2026

ACCUMARKLABS.COM
 4HG6-TA44
 09/21/2026

